

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-23. (Canceled)

1 24. (Previously Presented) A backpack, comprising of:

2 a back wall;

3 a hook connected to a top side of said back wall, said hook capable of hanging said back wall
4 to an object, external to said backpack;

5 a plurality of compartments on a front surface of said back wall, the plurality of
6 compartments including a front portion comprised of netted material accommodating a circulation
7 of air within said compartments, said compartments accommodating a plurality of objects;

8 a pair of shoulder straps disposed a predetermined distance from each other along the
9 longitudinal side of the back surface of said back wall to accommodate a carrying of said backpack
10 by the shoulders and the back of a user; and

11 wherein said backpack is secured by a fastening unit after said backpack is folded to a closed
12 position.

1 25. (Previously Presented) The backpack of claim 24, further comprising a first side wall and
2 a second side wall attached to a first and second side of said back wall respectively, the first and
3 second side walls disposed on opposite sides of said back wall, said first and second side walls being
4 fastened to the sides of a top portion of said back wall when said back wall is folded.

1 26. (Previously Presented) The backpack of claim 25, further comprised of a bottom panel
2 attached at an angle to said backwall, and to said first and second sidewalls.

1 27. (Currently Amended) The backpack of claim 26, wherein when said back wall is folded,
2 a portion of said back wall having the shoulder straps that is folded is substantially flat.

Claims 28-31. (Canceled)

1 32. (Previously Presented) The backpack of claim 26, further comprising means for
2 accommodating the hanging of hangers for clothes on the top portion of the front side of said back
3 wall.

Claim 33. (Canceled)

1 34. (Previously Presented) The backpack of claim 24, further comprising at least one strap

2 securing an object to said backpack.

1 35. (Previously Presented) A backpack, comprising:

2 a back wall;

3 a left wall and right wall extending from at least a portion of said back wall;

4 a bottom portion attached to a bottom of said back wall and said bottom portion connecting
5 between a bottom of said right wall and said left wall;

6 a first wall extending from said bottom portion and assisting in holding a sufficient portion
7 of said left and right walls together forming a bottom compartment;

8 a plurality of compartments on a front surface of said back wall, said plurality of
9 compartments comprising a front portion comprising of at least a partially see-through material
10 accommodating a circulation of air within said compartments, said compartments accommodating
11 a plurality of objects, said plurality of compartments being disposed on a single plane
12 accommodating full accessibility and a view of the objects within said plurality of compartments
13 when said backpack is in an open position, said back wall folding to close said backpack, said
14 compartments disposed from a top portion of the front surface of said back wall to a bottom portion
15 of said back wall; and

16 at least one back strap on an external surface of said backpack to accommodate shoulder and
17 back transport of said backpack, on a user.

Claim 36. (Cancelled)

1 37. (Previously Presented) The backpack of claim 35, further comprising a first unit
2 connected to a top side of said back wall, said first unit capable of hanging said back wall in the
3 single plane to an external object.

1 38. (Previously Presented) The backpack of claim 37, further comprising a strap
2 accommodating the hanging of garments along a length of said back wall.

1 39. (Currently Amended) A backpack, comprising:
2 a back member having a top, bottom and two sides;
3 curved side members affixed to a portion of each of said two sides of said back member;
4 a bottom member connected to said bottom of said back member and a bottom of each of said
5 curved side members, said bottom member extending from [[said]] a front side of said back member;
6 a zipper positioned on said top of said back member, a portion of each side of said back
7 member on said curved side members and said bottom member for selectively connecting and
8 disconnecting said top and sides of said back member to said curved side members and said bottom
9 member; and wherein said back wall folds to form a front panel of a backpack configuration, when
10 fastened shut, a plurality of compartments formed on a front side of said back member at spaced
11 apart locations, said compartments being within an internal volume when said zipper connects said

12 top and sides of said back member to said curved side member, and said bottom member, said back
13 member forming a single plane when in an opened position to accommodate an access and view of
14 objects within said plurality of compartments; and

15 backpack straps positioned on a back side of said back member of said backpack.

1 40. (Previously Presented) The backpack of claim 39, further comprising a hook connected
2 to said back member for hanging said backpack when said backpack is unzipped.

1 41. (Currently Amended) The backpack of claim 27, with said back wall being folded by the
2 top portion of said back wall being folded only frontally downwards towards the front portion of said
3 bottom panel accommodating the fastening of one end of said back wall to the other end when said
4 back wall is folded, and accommodating said first and second side walls extending from the bottom
5 portion of said back wall being fastened to the sides of the top portion of said back wall when said
6 back wall is folded, with the downward direction being parallel with the longitudinal direction of
7 said shoulder straps along the longitudinal side of the back surface of said back wall, and with a
8 zipper fastening and closing said backwall with said bottom panel not being at a lower portion of the
9 back surface of said backwall having said shoulder straps .

1 42. (Previously Presented) The backpack of claim 27, further comprising a front wall formed
2 at the front edge of the bottom panel of said backpack and assisting in holding said first and second

3 side walls together to form a bottom cavity for holding objects at the bottom.

1 43. (Previously Presented) The backpack of claim 38, with said back wall folding to close
2 said bag by folding the top portion of said back wall to the front edge of a bottom portion of said
3 back wall to couple with said bottom portion formed from a bottom of said backwall, said left wall
4 and said right wall extending from the bottom portion of said back wall and upwards from said
5 bottom of said backwall forming a bottom of said backpack.

1 44. (Previously Presented) The backpack of claim 40, with said back member selectively
2 connecting and disconnecting said back member to said curved side members and the front of said
3 bottom member by folding said back member frontally downwards toward the bottom member to
4 fasten and close said backpack and unfastening said backpack to unfold said back member upwards
5 to a hanging position.

1 45. (Previously Presented) The backpack of claim 41, with a length of said first and second
2 side walls being greater than a width of said back wall.

1 46. (New) A backpack, comprising:

2 a back wall including a top portion and lower portion;

3 a left wall and right wall extending along said lower portion of a left side and a right side of

4 said back wall, respectively;

5 a bottom member formed from a bottom of said back wall and connecting a bottom of said
6 right wall to said left wall;

7 a first wall extending from said bottom member and assisting in holding at least a portion of
8 said left and right walls together to form a chamber;

9 a plurality of compartments on a front surface of said back wall, said plurality of
10 compartments comprising a front portion comprising of at least a partially see-through material
11 accommodating a circulation of air within said compartments, said compartments accommodating
12 a plurality of objects, said plurality of compartments being disposed on a single substantially flat
13 plane accommodating full accessibility and a view of the objects within said plurality of
14 compartments when in an open position, said back wall folding to close said backpack, said
15 compartments disposed from a top portion of the front surface of said back wall to a bottom member
16 of said back wall covering a substantial portion of the front portion of said backwall, said backwall
17 being separate from the other walls;

18 a zipper positioned on said top portion of said back wall and around said side walls and first
19 wall accommodating selectively connecting and disconnecting said top and sides of said back wall
20 to said side walls and said first wall, said back wall folds to form a front panel of a backpack
21 configuration, when fastened shut, said compartments being within an internal volume when said
22 zipper connects said top and sides of said back wall to said side walls and said first wall; and

23 a pair of straps disposed on the back surface of said lower portion of said back wall to

24 accommodate a transport of said backpack on a back of a user through both shoulders of a user for
25 each strap, said pair of straps disposed a predetermined distance from each other along the
26 longitudinal side of the back surface of said lower portion of said back wall to accommodate a
27 carrying of said backpack by the shoulders and the back of a user, said back portion of said lower
28 portion of said back wall having only said pair of straps and being substantially flat when said
29 backpack is closed, said backwall, sidewalls, first wall and bottom member being made of a flexible
30 material.

1 47. (New) The backpack of claim 46, further comprising a hook connected to a top side of
2 said back wall, said hook accommodating hanging said back wall in the single plane to an external
3 object.

1 48. (New) The backpack of claim 47, further comprising a first unit accommodating the
2 hanging of garments along a length of said back wall.

1 49. (New) The backpack of claim 48, further comprised of said compartments including
2 straps integrated at only the top side of the compartments securing objects within the compartments.

1 50. (New) The backpack of claim 49, with the compartments having clasps to further secure
2 the compartments from the top side of the compartments.

1 51. (New) The backpack of claim 50, with the compartment at the bottom member formed
2 by the side walls and first wall of a certain height accommodating the securing of external objects
3 within said compartment.

1 52. (New) The backpack of claim 51, further comprised of said first wall being of a netted
2 material accommodating ventilation and securing external objects.

1 53. (New) The backpack of claim 52, with said side walls extending from each side of said
2 bottom member, where said bottom member having a greater width than the top portion of said
3 backwall.

1 54. (New) A backpack, comprising:
2 a back member having a top, bottom and two sides;
3 curved side members affixed to each of said two sides of said back member and extending
4 from a front side of said back member;
5 a bottom member connected to said bottom of said back member and each of said curved side
6 members, said bottom member extending from said front side of said back member, said back
7 member, said curved side members and said bottom member defining an internal volume;
8 a zipper positioned on said top of said back member and on said curved side members and

9 said bottom member for selectively connecting and disconnecting said top of said back member to
10 said curved side members and said bottom member;

11 a plurality of compartments formed on a front side of said back member at spaced apart
12 locations, said compartments being within said internal volume when said zipper connects said top
13 of said back member to said curved side member, said back member forming a single flat plane when
14 in an opened position to accommodate an access and view of objects within said plurality of
15 compartments included on an entire surface of said single plane, said compartments included on a
16 substantial portion of said top and bottom of said back member; and

17 backpack straps positioned on a back side of the bottom of said back member forming the
18 single flat non-rigid plane on said back side of said back member when said backpack is open or
19 closed.

1 55. (New) The backpack of claim 54, further comprising a hook connected to said back
2 member for hanging said back member to an external structure when said zipper is selectively
3 disconnected with said top of said back member from said curved side members and said bottom
4 member.